

L Number	Hits	Search Text	DB	Time stamp
1	19	(US-6616700-\$ or US-6253366-\$ or US-6170081-\$ or US-6209124-\$ or US-6584507-\$ or US-6675353-\$ or US-6598219-\$ or US-6421821-\$ or US-6618856-\$ or US-5991533-\$ or US-5230061-\$ or US-6240335-\$ or US-6167406-\$).did. or (US-20030121000-\$ or US-20020156814-\$ or US-20020023110-\$ or US-20040095237-\$).did. or (US-6725426-\$ or US-6550054-\$).did.	USPAT; US-PGPUB; DERWENT	2004/06/02 15:17
4	5	((US-6616700-\$ or US-6253366-\$ or US-6170081-\$ or US-6209124-\$ or US-6584507-\$ or US-6675353-\$ or US-6598219-\$ or US-6421821-\$ or US-6618856-\$ or US-5991533-\$ or US-5230061-\$ or US-6240335-\$ or US-6167406-\$).did. or (US-20030121000-\$ or US-20020156814-\$ or US-20020023110-\$ or US-20040095237-\$).did. or (US-6725426-\$ or US-6550054-\$).did.) and ((mail near4 message) or Email)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:16
5	7077	((717/105,108,109,114,135) or (715/500.1,513,514) or (709/229) or (707/102) or (700/230)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:19
6	7189	((717/104,105,108,109,114,135) or (715/500.1,513,514) or (709/229) or (707/102) or (700/230)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:19
-	1812	(@ad<=20000324 or @rlad<=20000324) and (convert\$4 near3 ((declarative or definition or control or metadata) adj5 (code or ((programming or automation) adj2 language))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 10:29
-	89	(@ad<=20000324 or @rlad<=20000324) and (convert\$4 near3 ((declarative or definition or automation or metadata) adj5 (code or ((programming or control) adj2 language))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 10:21
-	8	((@ad<=20000324 or @rlad<=20000324) and (convert\$4 near3 ((declarative or definition or control or metadata) adj5 (code or ((programming or automation) adj2 language)))) and (XML or (markup adj2 (language or file or document))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 10:22
-	4	((@ad<=20000324 or @rlad<=20000324) and (convert\$4 near3 ((declarative or definition or automation or metadata) adj5 (code or ((programming or control) adj2 language)))) and (XML or (markup adj2 (language or file or document))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 10:22
-	3	(((@ad<=20000324 or @rlad<=20000324) and (convert\$4 near3 ((declarative or definition or control or metadata) adj5 (code or ((programming or automation) adj2 language)))) and (XML or (markup adj2 (language or file or document)))) and (((@ad<=20000324 or @rlad<=20000324) and (convert\$4 near3 ((declarative or definition or automation or metadata) adj5 (code or ((programming or control) adj2 language)))) and (XML or (markup adj2 (language or file or document))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 12:10
-	6	((translat\$4 or convert\$4) near3 (model\$4 adj3 (language or data or representation))) near6 (markup or XML or (tagged adj3 language))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 10:27

-	34	((translat\$4 or convert\$4) near3 (chart or flowchart or diagram or ("ladder logic"))) near6 (markup or XML or (tagged adj3 language))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 12:32
-	3	(((((translat\$4 or convert\$4) near3 (model\$4 adj3 (language or data or representation))) near6 (markup or XML or (tagged adj3 language))) or (((translat\$4 or convert\$4) near3 (chart or flowchart or diagram or ("ladder logic"))) near6 (markup or XML or (tagged adj3 language)))) and (@ad<=20000324 or @rlad<=20000324) and ((graphical or declarative or CASE) near6 programming)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 10:30
-	34	((translat\$4 or convert\$4) near3 (chart or flowchart or diagram or ("ladder logic"))) near6 (markup or XML or (tagged adj3 language))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 12:10
-	7	(((((translat\$4 or convert\$4) near3 (chart or flowchart or diagram or ("ladder logic"))) near6 (markup or XML or (tagged adj3 language))) and (@ad<=20000324 or @rlad<=20000324)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 12:32
-	2662	((software or Case or model\$4) adj2 (develop\$5 or automat\$5)) near3 (package or tool or framework or interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 12:14
-	350	((convert\$5 or transform\$5 or translat\$4) adj3 (XML or markup)) and (@ad<=20000324 or @rlad<=20000324)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 12:16
-	5	((software or Case or model\$4) adj2 (develop\$5 or automat\$5)) near3 (package or tool or framework or interface)) and (((convert\$5 or transform\$5 or translat\$4) adj3 (XML or markup)) and (@ad<=20000324 or @rlad<=20000324))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 12:16
-	34	((translat\$4 or convert\$4) near3 (chart or flowchart or diagram or ("ladder logic"))) near6 (markup or XML or (tagged adj3 language))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 12:32
-	7	(((((translat\$4 or convert\$4) near3 (chart or flowchart or diagram or ("ladder logic"))) near6 (markup or XML or (tagged adj3 language))) and (@ad<=20000324 or @rlad<=20000324) or @pn <> "0")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 13:07
-	0	(high-definition adj2 language) near5 (XML adj2 format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 13:05
-	0	((high-level adj2 definition) adj2 language) near5 (XML adj2 format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 13:06
-	5	((specification or definition) adj2 (language or diagram or graph)) near5 (XML adj2 format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 13:07
-	0	((specification or definition) near4 (language or diagram or graph)) near5 (XML adj2 format)) and (@ad<=20000324 or @rlad<=20000324) or @pn <> " "	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 13:09

-	0	((specification or definition) near4 (language or diagram or graph)) near5 (XML adj2 format)) and (@ad<=20000324 or @rlad<=20000324))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:10
-	15	((specification or definition) near4 (language or diagram or graph)) near5 (XML adj2 format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 13:45
-	2	("6,209,124").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 13:56
-	13	6209124.URPN.	USPAT	2004/06/01 13:48
-	5	("6189011" "6209124" "6366934" "6418448" "6584507").PN.	USPAT	2004/06/01 13:51
-	13	("5689708" "5729682" "5838916" "5841972" "5859978" "5893118" "6002871" "6006035" "6052719" "6073172" "6094679" "6134549" "6449642" "2001/0044839").PN.	USPAT	2004/06/01 13:55
-	2	("5689708" "5729682" "5838916" "5841972" "5859978" "5893118" "6002871" "6006035" "6052719" "6073172" "6094679" "6134549" "6449642" "2001/0044839").PN.) and (XML or markup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:07
-	0	(software adj3 (specification or modeling or design)) near4 ("in XML" near3 (format or form or document or representation or file or view))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:08
-	1	(software adj3 (specification or modeling or design)) near4 ("in XML" or markup) near3 (format or form or document or representation or file or view))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:10
-	7	(software adj3 (specification or modeling or design)) near4 ("XML" or markup) near3 (format or form or document or representation or file or view))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:10
-	3	((software adj3 (specification or modeling or design)) near4 ("XML" or markup) near3 (format or form or document or representation or file or view))) and (@ad<=20000324 or @rlad<=20000324))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:17
-	6842	((flow adj chart) or flowchart) and XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:17
-	39	((flow adj chart) or flowchart) same XML).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:24
-	8	((flow adj chart) or flowchart) same XML).ab.) and (@ad<=20000324 or @rlad<=20000324))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:43
-	2	((flow adj chart) or flowchart) same XML).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:21

-	31	(((((flow adj chart) or flowchart) same XML).ab.) not (((((flow adj chart) or flowchart) same XML).ab.) and (@ad<=20000324 or @rlad<=20000324))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 14:24
-	26	(((((flow adj chart) or flowchart) same XML).ab.) not (((((flow adj chart) or flowchart) same XML).ab.) and (@ad<=20000324 or @rlad<=20000324)))) and (flowchart and XML).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:27
-	2	((application or software) near4 (develop\$6 or design or model\$4)) and ((hierarchical adj3 tree) near8 (buil\$5 near4 (XML or markup)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:42
-	1	((specification near6 tree) near8 (buil\$5 near4 (XML or markup)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:32
-	3	((application or software) near4 (develop\$6 or design or model\$4)) and ((hierarchical adj3 tree) near8 (buil\$5 near4 (XML or markup))) or ((specification near6 tree) near8 (buil\$5 near4 (XML or markup)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:32
-	5	(ladder adj2 (logic or design)) same (XML or UML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:45
-	12	(ladder adj2 (logic or design)) and (XML or UML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:43
-	2	((ladder adj2 (logic or design)) and (XML or UML)) and (@ad<=20000324 or @rlad<=20000324))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:50
-	28	(ladder adj2 (logic or design or diagram or model or circuit)) and (XML or UML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:50
-	3	((ladder adj2 (logic or design or diagram or model or circuit)) and (XML or UML)) and (@ad<=20000324 or @rlad<=20000324))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:46
-	25	(ladder adj2 (logic or design or diagram or model or circuit or programming)) and (XML or UML and (modeling near3 tool))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:53
-	2	((ladder adj2 (logic or design or diagram or model or circuit or programming)) and (XML or UML and (modeling near3 tool))) and (@ad<=20000324 or @rlad<=20000324))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:54
-	70	(ladder adj2 (logic or design or diagram or model or circuit or programming)) and (XML or UML or ((modeling or definition) near3 (tool or language)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 16:04
-	41	((ladder adj2 (logic or design or diagram or model or circuit or programming)) and (XML or UML or ((modeling or definition) near3 (tool or language)))) and (@ad<=20000324 or @rlad<=20000324))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 16:04

-	1	((ladder adj2 (logic or design or diagram or model or circuit or programming)) and (XML or UML or (modeling or definition) near3 (tool or language))) and ((@ad<=20000324 or @rlad<=20000324))) and (UML or Unified adj2 language)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:56
-	18	((ladder adj2 (logic or design or diagram or model or circuit or programming)) and (XML or UML or (modeling or definition) near3 (tool or language))) and ((@ad<=20000324 or @rlad<=20000324))) and (model\$3 near5 (specification or metadata or language))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 16:04
-	11	((ladder adj2 (logic or design or diagram or model or circuit or programming)) and (XML or UML or (modeling or definition) near3 (tool or language))) and ((@ad<=20000324 or @rlad<=20000324))) and (model\$3 near5 (specification or metadata or language))) and (XML or markup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 15:59
-	78	(ladder adj2 (logic or design or diagram or model or circuit or programming)) and (markup or ((modeling or definition) near3 (tool or language)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 16:04
-	54	((ladder adj2 (logic or design or diagram or model or circuit or programming)) and (markup or ((modeling or definition) near3 (tool or language))) and ((@ad<=20000324 or @rlad<=20000324)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 16:42
-	18	((ladder adj2 (logic or design or diagram or model or circuit or programming)) and (markup or ((modeling or definition) near3 (tool or language))) and ((@ad<=20000324 or @rlad<=20000324))) and (model\$3 near5 (specification or metadata or language))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 16:04
-	17	(US-6616700-\$ or US-6170081-\$ or US-6253366-\$ or US-6209124-\$ or US-6584507-\$ or US-6598219-\$ or US-6675353-\$ or US-6421821-\$ or US-6618856-\$ or US-5991533-\$ or US-5230061-\$).did. or (US-20030121000-\$ or US-20020023110-\$ or US-20020156814-\$ or US-20040095237-\$).did. or (US-6725426-\$ or US-6550054-\$).did.	USPAT; US-PGPUB; DERWENT	2004/06/01 16:37
-	17	automation and industrial and (ladder adj2 logic) and modeling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 16:38
-	15	(automation and industrial and (ladder adj2 logic) and modeling) and ((@ad<=20000324 or @rlad<=20000324))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 16:39
-	6	((automation and industrial and (ladder adj2 logic) and modeling) and ((@ad<=20000324 or @rlad<=20000324))) and (chart or diagram) and ((specification or modeling) near2 language)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 16:41
-	9	UML and PLC and modeling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 16:41

-	3	(UML and PLC and modeling) and ((@ad<=20000324 or @rlad<=20000324))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 16:42
-	0	((automation adj3 control) or (PLC and model\$4)) and UML).ab. or ((PLC and model\$4) or (automation adj3 control)) and UML).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 08:24
-	0	((automation adj3 control) or (PLC and model\$4)) and ("mdl" or "Unified Modeling")).ab. or ((PLC and model\$4) or (automation adj3 control)) and ("mdl" or "Unified Modeling")).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 08:25
-	2	((automation adj3 control) or (PLC and model\$4)) and ("mdl" or "Unified Modeling")) and ((software near3 (specification or design)) or (visual near4 programming))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 08:26
-	18	(US-6616700-\$ or US-6253366-\$ or US-6170081-\$ or US-6209124-\$ or US-6584507-\$ or US-6675353-\$ or US-6598219-\$ or US-6421821-\$ or US-6618856-\$ or US-5991533-\$ or US-5230061-\$ or US-6240335-\$).did. or (US-20030121000-\$ or US-20020156814-\$ or US-20020023110-\$ or US-20040095237-\$).did. or (US-6725426-\$ or US-6550054-\$).did.	USPAT; US-PGPUB; DERWENT	2004/06/02 08:32
-	1	((US-6616700-\$ or US-6253366-\$ or US-6170081-\$ or US-6209124-\$ or US-6584507-\$ or US-6675353-\$ or US-6598219-\$ or US-6421821-\$ or US-6618856-\$ or US-5991533-\$ or US-5230061-\$ or US-6240335-\$).did. or (US-20030121000-\$ or US-20020156814-\$ or US-20020023110-\$ or US-20040095237-\$).did. or (US-6725426-\$ or US-6550054-\$).did.) and ActiveX	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 08:33
-	8	(markup and ActiveX and hypertext) and PLC and (automation adj3 control) and model not Coburn.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 08:36
-	0	6618856.PN. and model.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 08:36
-	2	((markup and ActiveX and hypertext) and PLC and (automation adj3 control) and model not Coburn.in.) and model.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 08:36